PUNJAB WATER SUPPLY AND SEWERAGE BOARD BATHINDA

To.

Sh. Jugal Kishore, Executive Engineer, Pb. W/S & Sew Division, Abohar.

No.	Dated:	

Sub: -

Inspection of Material.

"Prov. Laying W/S, Lateral Sewer, Main Sewer, Const. of RCC MPS, Roads, Making House connections for W/S & Sewer, Const. of STP based on any suitable technology, Street Lights, Water Meter, Desilting of existing Main Sewer & Electromagnetic flow meter including O & M of STP, existing & proposed W/S System, Sewerage System for 10 years (O&M) at Kotakpura, Jaitu & Faridkot Town"(Agg. No. 12 of 2016-17)

(Inspection call for Interlock Paver Block Tiling at Jaitu Town.

App. Cost: 284.23 Crore

Executive Engineer , Punjab W/S & Sew. Div Moga has brought to the notice of this office vide letter No. 80 dt. 08.01.20 that M/S Shapoorji Pallonji & Co. Pvt. Ltd., Mumbai as has requested vide Letter No. SPCPL/PWSSB/Moga/193/2019-20 dt. 07.01.2020 (Copy Attached) that the material mentioned in their letter is ready for inspection .

You are hereby authorized to carry out the inspection of material in the factory premises, as per instruction issued by Managing Director, Pb. W/S & Sewerage Board, Chandigarh letter No. 9218-22 dated 20.4.2009, No. 16245-49 dated 21.07.09 and 17938-42 dated 13.08.09.It may be ensured that the inspection of material should be according to the specifications given in DNIT & approved drawing of this work. You are directed to send the copy of inspection note along with tests result to this office within 10 days. In case you were found defaulter in the testing and passing of sub standard material, disciplinary action against you will be initiated.

DA/ Photo copy of letter of the firm

Chief Engineer (South),
Pb. W/S & Sewerage Board,
Bathinda

Endst. No. 150 - 151 Dated: 14.1.9090

A copy of the above is forwarded to the Following for information:

1. Executive Engineer, PWSS Division Moga with ref. to his No. 80 dt. 08.01.2020.

2. M/S Shapoorji Pallonji & Co. Pvt. Ltd., Mumbai

Chief Engineer (South),

Pb. W/S & Sewerage Board, Bathinda

1